

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	81	\$10wanit.xa.	USPAT	OR	ON	2005/01/04 10:08
S2	38	\$10wanit.xp.	USPAT	OR	ON	2004/01/16 11:16
S3	7	"tsai, daniel".ln.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:41
S4	87194	(information data) near3 (packet container wrap capsule package)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:49
S5	4155577	content location link lifetime span bind\$3 owner version offer request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:44
S6	21751	((information data) near3 (packet container wrap capsule package)) with (content location link lifetime span bind\$3 owner version offer request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:50
S7	2754140	match\$3 compar\$3 evaluat\$3 correlat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:47
S8	2258	((information data) near3 (packet container wrap capsule package)) with (content location link lifetime span bind\$3 owner version offer request)) same (match\$3 compar\$3 evaluat\$3 correlat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:47
S9	1109	((information data) near3 (packet container wrap capsule package)) with (content location link lifetime span bind\$3 owner version offer request)) with (match\$3 compar\$3 evaluat\$3 correlat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:47
S10	777	((information data) near3 (packet container wrap capsule package)) with (content location link lifetime span bind\$3 owner version offer request)) with (match\$3 compar\$3 evaluat\$3 correlat\$3)) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:55
S11	7367	(match\$3 compar\$3 evaluat\$3 correlat\$3) with ((digital information data) near3 (packet container wrap capsule package))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:50
S12	6729	((match\$3 compar\$3 evaluat\$3 correlat\$3) with ((digital information data) near3 (packet container wrap capsule package))) with ((information data) near3 (packet container wrap capsule package))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:50
S13	86050	(digital information data) near2 (packet container wrap capsule package)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:51
S14	131403	header (wrap near3 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:52

S15	6058	(header (wrap near3 (information data))) with (command instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:52
S16	10271	(header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:53
S17	10954	(header (wrap near3 (information data))) with (location link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:53
S18	9349	(header (wrap near3 (information data))) with (contewnt bind\$3 request response offer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:53
S19	1540	((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:53
S20	608	((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)) and ((header (wrap near3 (information data))) with (location link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:54
S21	345	((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)) and ((header (wrap near3 (information data))) with (location link)) and ((header (wrap near3 (information data))) with (contewnt bind\$3 request response offer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:54
S22	345	((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)) and ((header (wrap near3 (information data))) with (location link)) and ((header (wrap near3 (information data))) with (contewnt bind\$3 request response offer)) and (((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:54
S23	15084	((digital information data) near2 (packet container wrap capsule package)) same (header (wrap near3 (information data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:55
S24	1832	((((digital information data) near2 (packet container wrap capsule package)) same (header (wrap near3 (information data)))) same (match\$3 compar\$3 evaluat\$3 correlat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:55

S25	58	(((digital information data) near2 (packet container wrap capsule package)) same (header (wrap near3 (information data)))) same (match\$3 compar\$3 evaluat\$3 correlat\$3)) and (((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)) and ((header (wrap near3 (information data))) with (location link)) and ((header (wrap near3 (information data))) with (contewnt bind\$3 request response offer)) and (((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 11:55
S26	49	(((digital information data) near2 (packet container wrap capsule package)) same (header (wrap near3 (information data)))) same (match\$3 compar\$3 evaluat\$3 correlat\$3)) and (((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)) and ((header (wrap near3 (information data))) with (location link)) and ((header (wrap near3 (information data))) with (contewnt bind\$3 request response offer)) and (((header (wrap near3 (information data))) with (command instruction)) and ((header (wrap near3 (information data))) with (owner version spamn life\$ expiration start stop)))) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:05
S27	37	digital adj container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:04
S28	127	(information data) adj capsule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:04
S29	48	file adj wrap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:04
S30	212	(digital adj container) ((information data) adj capsule) (file adj wrap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:04
S31	28	(match\$3 compar\$3 evaluat\$3 correlat\$3) same ((digital adj container) ((information data) adj capsule) (file adj wrap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/16 12:05
S32	18	((match\$3 compar\$3 evaluat\$3 correlat\$3) same ((digital adj container) ((information data) adj capsule) (file adj wrap))) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:05
S33	18	((match\$3 compar\$3 evaluat\$3 correlat\$3) same ((digital adj container) ((information data) adj capsule) (file adj wrap))) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:29
S34	331	matching with database with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:49

S35	0	(matching with database with client) same ((subject topic) near3 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:34
S36	183	(matching with database with client) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:50
S37	1622	matching with database with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:34
S38	1	(matching with database with (user client)) same ((subject topic) near3 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:34
S39	1628	matching with ((owner user) near3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:50
S40	4202	match\$3 with ((owner user) near3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:50
S41	2182	(match\$3 with ((owner user) near3 information)) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:01
S42	238	(match\$3 with ((owner user) near3 information)) same distribut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:51
S43	51	((match\$3 with ((owner user) near3 information)) same distribut\$3) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:51
S44	1	((match\$3 with ((owner user) near3 information)) same distribut\$3) same (wrap\$4 encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:51
S45	26	((match\$3 with ((owner user) near3 information)) same distribut\$3) same database) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 16:54
S46	4	match\$3 with (wrap\$3 meta embed\$3) near3 (portable wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 13:19
S47	340033	packet container capsule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 13:19

S48	908	wrap\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 13:19
S49	7	(packet container capsule) with (wrap\$3 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:00
S50	2171	wrap\$3 near3 control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:01
S51	35	(packet container capsule) with (wrap\$3 near3 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:01
S52	8	((packet container capsule) with (wrap\$3 near3 control)) and (@ad<"19950918" @riad<"19950918")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:03
S53	27	((packet container capsule) with (wrap\$3 near3 control)) and (@ad<"20000922" @riad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:08
S54	0	match\$3 with (topice adj2 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:10
S55	30	match\$3 with (topic adj2 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:10
S56	1	(match\$3 with (topic adj2 interest)) with (client database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:13
S57	91	data adj capsule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:13
S58	3457977	structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:40
S59	4	(data adj capsule) with structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:14
S60	6	(data adj capsule) same structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:15

S61	2	"6523041".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:17
S62	5348	package with (request offer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:32
S63	0	(wrap\$3 near3 control) same (package with (request offer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 14:41
S64	138	email near3 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:32
S65	13283	"138" with (time sender receipt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:33
S66	19	(email near3 filter) with (time sender receipt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:49
S67	2	"20030095540".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:49
S68	2	"20030095540".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:11
S69	1	"20030095540".pn. and broker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:20
S70	233	service adj broker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:23
S71	12	network adj (service adj broker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:23
S72	1721739	packet package container capsule encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:29
S73	124672	(packet package container capsule encapsul\$3) with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 13:55

S74	264138	(packet package container capsule encapsul\$3) with (control owner recipient sender rule time flag parameter attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:00
S75	7055	((packet package container capsule encapsul\$3) with (control owner recipient sender rule time flag parameter attribute)) with (wrap\$4 encapsulat\$3 embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 13:57
S76	108	((((packet package container capsule encapsul\$3) with (control owner recipient sender rule time flag parameter attribute)) with (wrap\$4 encapsulat\$3 embed\$4)) with (match\$3 filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:37
S77	72	(((((packet package container capsule encapsul\$3) with (control owner recipient sender rule time flag parameter attribute)) with (wrap\$4 encapsulat\$3 embed\$4)) with (match\$3 filter\$3)) and (@ad<"20001102" @rlad<"20001102"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:58
S78	66	(packet package container capsule encapsul\$3) with ((control owner recipient sender rule time flag parameter attribute) near3 filed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:06
S79	438	data near3 capsule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:06
S80	18	(data near3 capsule) same match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:07
S81	17	((data near3 capsule) same match\$3) and (@ad<"20001102" @rlad<"20001102")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:09
S82	637	owner near3 (match\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:21
S83	13	(packet package container capsule encapsul\$3) same (owner near3 (match\$3 filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:22
S84	20075	(packet package container capsule encapsul\$3) with (instruct\$3 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:31
S85	43	((packet package container capsule encapsul\$3) with ((control owner recipient sender rule time flag parameter attribute) near3 filed)) and (@ad<"20001102" @rlad<"20001102")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:31
S86	717	((packet package container capsule encapsul\$3) with (instruct\$3 command)) with (match\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:37

S87	504	((((packet package container capsule encapsul\$3) with (instruct\$3 command)) with (match\$3 filter\$3)) and (@ad<"20001102" @rlad<"20001102"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:57
S88	1	match\$3 with interset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:58
S89	6750	match\$3 with interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:58
S90	116	(packet package container capsule encapsul\$3) same (match\$3 with interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 14:58
S91	84	((packet package container capsule encapsul\$3) same (match\$3 with interest)) and (@ad<"20001102" @rlad<"20001102"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 15:46
S92	0	database near mach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:11
S93	9111	database near3 match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:11
S94	0	(database near3 match\$3) with topic adj2 interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:11
S95	0	(database near3 match\$3) with (topic adj2 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:11
S96	99	(database near3 match\$3) with interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:15
S97	60	((database near3 match\$3) with interest) and (@ad<"20000922" @rlad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:24
S98	8	((database near3 match\$3) with interest) same ((user client) near3 (terminal workstation station computer node device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:16
S99	6	((database near3 match\$3) with interest) same ((user client) near3 (terminal workstation station computer node device))) and (@ad<"20000922" @rlad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:24

S10 0	134	(match\$3 near4 (packet container capsule cell package frame)) with interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:29
S10 1	107	((match\$3 near4 (packet container capsule cell package frame)) with interest) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:58
S10 2	0	((match\$3 near4 (packet container capsule cell package frame)) with interest) same (at near3 (client user terminal node computer station device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:25
S10 3	678	(match\$3 near4 (packet container capsule data information cell package frame)) with interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 09:29
S10 4	462	((match\$3 near4 (packet container capsule data information cell package frame)) with interest) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:08
S10 5	7771	(topic subject) near3 interest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:06
S10 6	31308	user near3 (profile preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:07
S10 7	2158692	match\$3 filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:07
S10 8	34	((topic subject) near3 interest) same (user near3 (profile preference)) same (match\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:07
S10 9	16	((topic subject) near3 interest) same (user near3 (profile preference)) same (match\$3 filter\$3)) and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:23
S11 0	187274	(packet package envelope container capsule) near5 (data information content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:19
S11 1	221281	(wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:23
S11 2	4055	((packet package envelope container capsule) near5 (data information content)) same ((wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:24

S11 3	2889	(((((packet package envelope container capsule) near5 (data information content)) same ((wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command)))) and (@ad<"20000922" @riad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:24
S11 4	2513	((packet package envelope container capsule) near5 (data information content)) with ((wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:24
S11 5	1781	(((((packet package envelope container capsule) near5 (data information content)) with ((wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command)))) and (@ad<"20000922" @riad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:24
S11 6	24	(((((packet package envelope container capsule) near5 (data information content)) with ((wrap\$3 embed\$4 head\$3 meta\$4 manifest\$5) near3 (control owner time revision rule procedure instruction command)))) and (@ad<"20000922" @riad<"20000922")) and ((topic subject) near3 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 10:24
S11 7	53	\$10wanit.xp.	USPAT	OR	ON	2004/05/05 11:58
S11 8	81	\$10wanit.xa.	USPAT	OR	ON	2004/05/05 12:00
S11 9	110568	(designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:07
S12 0	5611	field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:07
S12 1	821	(field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:08
S12 2	645	((field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)) and (@ad<"20000922" @riad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:09
S12 3	43	((field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)) same (compar\$4 filter\$3 judg\$3 determin\$3 match\$3)) same (compar\$4 match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:09
S12 4	30	(((((field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)) same (compar\$4 filter\$3 judg\$3 determin\$3 match\$3)) same (compar\$4 match\$3)) and (@ad<"20000922" @riad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:17
S12 5	180	((field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)) same (compar\$4 filter\$3 judg\$3 determin\$3 match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:10
S12 6	137	((field with ((designat\$3 identifi\$4 assign\$3) with ((content information data) near5 (us\$3 utility utili\$6)))) with (package packet capsule frame cell)) same (compar\$4 filter\$3 judg\$3 determin\$3 match\$3)) and (@ad<"20000922" @riad<"20000922"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:09

S12 7	1124	(applet servlet) with (wrap\$3 embed\$4 encapsult\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:11
S12 8	3	((applet servlet) with (wrap\$3 embed\$4 encapsult\$3)) with (control near3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:48
S12 9	25	((applet servlet) with (wrap\$3 embed\$4 encapsult\$3)) with (interaction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:49
S13 0	2	"5870548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:50
S13 1	6	"5892900".pn. "5910987".pn. "5915019".pn. "5917912".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 10:51
S13 2	4	"6047327".pn. "6721784".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 13:26
S13 3	3	("6047327".pn. "6721784".pn.) and (wireless mobile cellular portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 13:27
S13 4	3	("6047327".pn. "6721784".pn.) and (wireless mobile cellular portable pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 13:27
S13 5	2	"6047327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 10:46
S13 6	2	"6047327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 10:47
S13 7	13966	(privacy visib\$5 access\$5) near5 (flag attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 19:13
S13 8	9863	(privacy visib\$5 access\$5) near3 (flag attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 19:13
S13 9	787	S138 same (record capsule mail info)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 19:14

S14 0	42	capsule adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:48
S14 1	97908	visibility opacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:48
S14 2	9760	readability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:48
S14 3	106738	S141 S142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:49
S14 4	2240	S143 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:55
S14 5	2	S144 with capsule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:49
S14 7	8865	match\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:56
S14 8	2240	S143 same S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:56
S14 9	7	S143 same S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:57
S15 0	0	palant with bio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:57
S15 1	4501	plant with bio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:58
S15 2	1009	(opac\$4 visib\$5 acces\$5 read\$5) with (match\$3 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:13
S15 3	648	S152 and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:14

S15 4	584	(opac\$4 visib\$5 read\$5) with (match\$3 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:13
S15 5	385	S154 and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:47
S15 6	0	709/232.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:47
S15 7	949	709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:47
S15 8	669	S157 and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:53
S15 9	13728	(709/200,202,203,217,219,226,229,232).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:53
S16 0	8233	S159 and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:53
S16 1	24	S152 and (S158 S160)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2432	(709/206).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 13:44
L2	1239	1 and (@ad<"20000922" @rlad<"20000922")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 13:44